

# VP INDUSTRIES

An ISO & MSME Certified | GEM Registered Supplier

## SANITARY NAPKIN INCINERATOR MACHINE



Get in touch

+91-8512895000



+91-9560532288



Wisdom For Your Life

01

# Sanitary Napkin Incinerator

Burning Capacity-100 Pad/day



Weight  
11kg

**Type of Machine:**-Fully Automatic, Wall mountable & Powder coated Mild Steel, Easy removing Ash collecting tray ensures cleanliness.

**Burning Capacity:** 80 to 100 Pads / day (2 to 3 pad per Cycle of 15 to 20 minutes (approx.)

**Dimensions:** Length-205 mm x Breadth-205 mm x Height-435 mm x weight-11 kg

**Insulation:** Double Insulation for extra protection of Ceramic fiber Sheet (25 mm) & Glass fiber Blanket, Advanced thermal controller with Auto cut off when not in use

**Accessories:** Provided with Flexible smoke hose Pipe 1.5 mtr, Hose Clamp, C Clamp, PVC Wall Plug and Screws.

02

# Incinerator with Smoke Control Unit (Inbuilt)

Burning Capacity-100 Pad/day



Weight  
12kg

**Type of Machine:**-Fully Automatic, Wall mountable & Powder coated Mild Steel, Easy removing Ash collecting tray ensures cleanliness.

**Burning Capacity:** 80 to 100 Pads / day (2 to 3 pad per Cycle of 15 to 20 minutes (approx.)

**Dimensions:** Length-205 mm x Breadth-205 mm x Height-535 mm x weight-12 kg

**Insulation:** Double Insulation for extra protection of Ceramic fiber Sheet (25 mm) & Glass fiber Blanket, Advanced thermal controller with Auto cut off when not in use

**Smoke Control Unit:** One Activated Carbon Ceramic Blanket Filter for filtration of smoke emission and Odour control

**Accessories:** Provided with Flexible smoke hose Pipe 1.5 mtr, Hose Clamp, C Clamp, PVC Wall Plug and Screws.

03

# Sanitary Napkin Incinerator

Burning Capacity-160 Pad/day



Weight  
13kg

**Type of Machine:-** Fully Automatic, Wall mountable & Powder coated Mild Steel, Easy removing Ash collecting tray ensures cleanliness.

**Burning Capacity:** 140 to 160 Pads / day (4 to 5 pad per Cycle of 15 to 20 minutes (approx.)

**Dimensions:** Length-255 mm x Breadth-255 mm x Height-450 mm x weight-13 kg

**Insulation:** Double Insulation for extra protection of Ceramic fiber Sheet (25 mm) & Glass fiber Blanket, Advanced thermal controller with Auto cut off when not in use

**Accessories:** Provided with Flexible smoke hose Pipe 1.5 mtr, Hose Clamp, C Clamp, PVC Wall Plug and Screws.

04

# Incinerator with Smoke Control Unit (Inbuilt)

Burning Capacity-160 Pad/day



Weight  
14kg

**Type of Machine:-** Fully Automatic, Wall mountable & Powder coated Mild Steel, Easy removing Ash collecting tray ensures cleanliness.

**Burning Capacity:** 140 to 160 Pads / day (4 to 5 pad per Cycle of 15 to 20 minutes (approx.)

**Dimensions:** Length-255 mm x Breadth-255 mm x Height-550 mm x weight-14 kg

**Insulation:** Double Insulation for extra protection of Ceramic fiber Sheet (25 mm) & Glass fiber Blanket, Advanced thermal controller with Auto cut off when not in use

**Smoke Control Unit:** One Activated Carbon Ceramic Blanket Filter for filtration of smoke emission and Odour control

**Accessories:** Provided with Flexible smoke hose Pipe 1.5 mtr, Hose Clamp, C Clamp, PVC Wall Plug and Screws.

05

# Incinerator with Smoke Control Unit (Separate)

Burning Capacity-160 Pad/day



Weight  
14 kg

**Type of Machine:-** Fully Automatic, Wall mountable & Powder coated Mild Steel, Easy removing Ash collecting tray ensures cleanliness.

**Burning Capacity:** 140 to 160 Pads / day (5 to 6 pad per Cycle of 15 to 20 minutes (approx.)

**Incinerator Dimensions:** Length-255 mm x Breadth-255 mm x Height-450 mm x weight-12 kg

**Insulation:** Double Insulation for extra protection of Ceramic fiber Sheet (25 mm) & Glass fiber Blanket, Advanced thermal controller with Auto cut off when not in use

**Smoke Control Unit:** Two Activated Carbon Ceramic Blanket Filter for filtration of smoke emission and Odour control. Length-200 mm x Breadth-250 mm x Height-150 mm x weight-2 kg

**Accessories:** Provided with Flexible smoke hose Pipe 1.5 mtr, Hose Clamp, C Clamp, PVC Wall Plug and Screws.

06

# Sanitary Napkin Incinerator

Burning Capacity-220 Pad/day



Weight  
15kg

**Type of Machine:-** Fully Automatic, Wall mountable & Powder coated Mild Steel, Easy removing Ash collecting tray ensures cleanliness.

**Storage Capacity:** 200 to 220 Pads / day (6 to 7 pad per Cycle of 15 to 20 minutes (approx.)

**Dimensions:** Length-275 mm x Breadth-275 mm x Height-505 mm x weight-15 kg

**Insulation:** Double Insulation for extra protection of Ceramic fiber Sheet (25 mm) & Glass fiber Blanket, Advanced thermal controller with Auto cut off when not in use

**Accessories:** Provided with Flexible smoke hose Pipe 1.5 mtr, Hose Clamp, C Clamp, PVC Wall Plug and Screws.

07

# Incinerator with Smoke Control Unit (Inbuilt)

Burning Capacity-220 Pad/day



**Type of Machine:-** : Fully Automatic, Wall mountable & Powder coated Mild Steel, Easy removing Ash collecting tray ensures cleanliness.

**Burning Capacity:** 200 to 220 Pads / day (6 to 7 pad per Cycle of 15 to 20 minutes (approx.)

**Incinerator Dimensions:** - : Length-275 mm x Breadth-275 mm x Height-605 mm x weight-16 kg

**Insulation:** Double Insulation for extra protection of Ceramic fiber Sheet (25 mm) & Glass fiber Blanket, Advanced thermal controller with Auto cut off when not in use

**Smoke Control Unit:** One Activated Carbon Ceramic Blanket Filter for filtration of smoke emission and Odour control

**Accessories:** Provided with Flexible smoke hose Pipe 1.5 mtr, Hose Clamp, C Clamp, PVC Wall Plug and Screws.



Weight  
16 kg

# 08 Incinerator with Smoke Control Unit (Separate)

Burning Capacity-220 Pad/day



**Type of Machine:-** : Fully Automatic, Wall mountable & Powder coated Mild Steel, Easy removing Ash collecting tray ensures cleanliness.

**Burning Capacity:** 200 to 220 Pads / day (6 to 7 pad per Cycle of 15 to 20 minutes (approx.)

**Incinerator Dimensions:** - : Length-275 mm x Breadth-275 mm x Height-505 mm x weight-15 kg

**Insulation:** Double Insulation for extra protection of Ceramic fiber Sheet (25 mm) & Glass fiber Blanket, Advanced thermal controller with Auto cut off when not in use

**Smoke Control Unit:** Two Activated Carbon Ceramic Blanket Filter for filtration of smoke emission and Odour control.

Length-200 mm x Breadth-275 mm x Height-150 mm x weight-3 kg

**Accessories:** Provided with Flexible smoke hose Pipe 1.5 mtr, Hose Clamp, C Clamp, PVC Wall Plug and Screws.



Weight  
18 kg

09

# Sanitary Napkin Incinerator

Burning Capacity-300 Pad/day



**Type of Machine:-** Fully Automatic, Wall mountable & Powder coated Mild Steel, Easy removing Ash collecting tray ensures cleanliness.

**Storage Capacity:** 280 to 300 Pads / day (8 to 10 pad per Cycle of 15 to 20 minutes (approx.)

**Dimensions:** Length-305 mm x Breadth-305 mm x Height-550 mm x weight-18 kg

**Insulation:** Double Insulation for extra protection of Ceramic fiber Sheet (25 mm) & Glass fiber Blanket, Advanced thermal controller with Auto cut off when not in use

**Accessories:** Provided with Flexible smoke hose Pipe 1.5 mtr, Hose Clamp, C Clamp, PVC Wall Plug and Screws.

10

# Incinerator with Smoke Control Unit (Inbuilt)

Burning Capacity-300 Pad/day



**Type of Machine:-** Fully Automatic, Wall mountable & Powder coated Mild Steel, Easy removing Ash collecting tray ensures cleanliness.

**Storage Capacity:** 280 to 300 Pads / day (8 to 10 pad per Cycle of 15 to 20 minutes (approx.)

**Dimensions:** Length-305 mm x Breadth-305 mm x Height-650 mm x weight-20 kg

**Insulation:** Double Insulation for extra protection of Ceramic fiber Sheet (25 mm) & Glass fiber Blanket, Advanced thermal controller with Auto cut off when not in use


**Smoke Control Unit:** One Activated Carbon Ceramic Blanket Filter for filtration of smoke emission and Odour control

**Accessories:** Provided with Flexible smoke hose Pipe 1.5 mtr, Hose Clamp, C Clamp, PVC Wall Plug and Screws.

11

# Incinerator with Smoke Control Unit (Separate)

## Burning Capacity-300 Pad/day



**Type of Machine:-** : Fully Automatic, Wall mountable & Powder coated Mild Steel, Easy removing Ash collecting tray ensures cleanliness.

**Burning Capacity:** 280 to 300 Pads / day (8 to 10 pad per Cycle of 15 to 20 minutes (approx.))

**Incinerator Dimensions:** - : Length-305 mm x Breadth-305 mm x Height-550 mm x weight-18 kg

**Insulation:** Double Insulation for extra protection of Ceramic fiber Sheet (25 mm) & Glass fiber Blanket, Advanced thermal controller with Auto cut off when not in use

**Smoke Control Unit:** Two Activated Carbon Ceramic Blanket Filter for filtration of smoke emission and Odour control. Length-200 mm x Breadth-305 mm x Height-150 mm x weight-4 kg

**Accessories:** Provided with Flexible smoke hose Pipe 1.5 mtr, Hose Clamp, C Clamp, PVC Wall Plug and Screws.

*Thanks for connecting us...*

**Office & Manufacturing Unit: VP INDUSTRIES.**

A0-91, Amrit Steel Compound, South Side Industrial Area, Ghaziabad-201001

**AN ISO & CE Certified**

**MSME CERTIFIED**

**GEM Registered Supplier**

+91-8512895000



+91-9560532288

